

PRODUCT REFERENCE GUIDE





VERSIGARD®

EPDM Accessories

QUICK-APPLIED SEAM TAPE



Fully cured synthetic rubber product used for splicing cured EPDM membrane in ballasted, adhered and mechanically attached roofing systems.

Sizes Available:

3" x 100' – Product Number: 301939 – Black
3" x 100' – Product Number: 309817 – White
6" x 100' – Product Number: 302953 – Black
6" x 100' – Product Number: 317501 – White

Quantity Per Box:

4 rolls (3"), 2 rolls (6")

QUICK-APPLIED CURED COVERSTRIP



Cured EPDM membrane laminated to a synthetic rubber adhesive makes this product the optimal solution to overlay seam fastening plates, strip in seams and metal edgings, or make roof repairs.

Sizes Available:

6" x 100' – Product Number: 309774 – Black
6" x 100' – Product Number: 309813 – White
9" x 100' – Product Number: 309776 – Black
9" x 100' – Product Number: 309814 – White
12" x 50' – Product Number: 317601 – Black
12" x 50' – Product Number: 317599 – White

Quantity Per Box:

2 rolls (6"), 1 roll (9" and 12")

QUICK-APPLIED CURB FLASHING



Cured EPDM membrane cut to 20" wide width with 6" QA Tape already applied. This product provides the most efficient way to flash curbs and short walls.

Sizes Available:

20" x 50' – Product Number: 309775 – Black
20" x 50' – Product Number: 309816 – White

Quantity Per Box: 1 roll

FULLY QUICK-APPLIED CURB FLASHING

Also Available (Not shown)

Sizes Available:

20" x 50' – Product Number: 315839 – Black

Quantity Per Box: 1 roll

QUICK-APPLIED UNCURED EPDM FLASHING



Uncured EPDM laminated to synthetic rubber adhesive. QA Flashing can be used to flash corners, pipes and other penetrations.

Sizes Available:

6" x 100' – Product Number: 302682 – Black
6" x 100' – Product Number: 310434 – White
9" x 50' – Product Number: 303484 – Black
9" x 50' – Product Number: 309950 – White
12" x 50' – Product Number: 309773 – Black
12" x 50' – Product Number: 309951 – White

Quantity Per Box:

2 rolls (6"), 1 roll (9" and 12")

QUICK-APPLIED RTS



Reinforced Termination Strip (RTS) combines reinforced EPDM with 3"-wide Quick-Applied tape for additional membrane securement. A 9" version with 3"-wide Quick-Applied tape on both sides permits securement of perimeter sheeting on mechanically attached systems.

Sizes Available:

6" RTS – Product Number: 301944 – Black
6" RTS – Product Number: 309818 – White


Use with all EPDM Systems

9" RTS – Product Number: 301945

Use with Mechanically Attached EPDM Systems

Quantity Per Box:

2 rolls (6"), 1 roll (9")


QUICK-APPLIED T-JOINT COVERS

Semi-cured EPDM laminated to a synthetic rubber adhesive. Used to seal field splice intersections and horizontal-to-vertical transitions of field splices. 12" x 12" T-Joint Covers are available for 30-Year Warranty Systems.

Sizes Available:

6" x 6" – Product Number: 304029 – Black
12" x 12" – Product Number: 305089 – Black

Quantity Per Box: 20


QUICK-APPLIED INSIDE/OUTSIDE CORNERS

Uncured EPDM laminated to a synthetic rubber adhesive. The pre-cut corners greatly reduce installation time and can be used for inside and outside corner installations.

Sizes Available:

7" x 9" – Product Number: 303325 – Black
7" x 9" – Product Number: 310310 – White

Quantity Per Box: 20

QUICK-APPLIED POURABLE SEALER POCKETS

Versico's uncured EPDM Flashing with a synthetic rubber adhesive and a 2" support strip pre-applied to the flashing. Sizes can be combined to form larger pockets when required.

Sizes Available:

4" dia. – Product Number: 303322 – Black
6" dia. – Product Number: 303323 – Black
6" dia. – Product Number: 316243 – White
8" dia. – Product Number: 303324 – Black

Quantity Per Box: 12

QUICK-APPLIED PIPE SEALS

Cured EPDM with a synthetic rubber adhesive. QA Pipe Seals increase the speed and ease of installation.

Sizes Available:

½" – 3" – Product Number: 302684 – Black
1" – 6" – Product Number: 309812 – Black
1" – 6" – Product Number: 317066 – White

Quantity Per Box: 10

QUICK-APPLIED WALKWAY PADS

Cured EPDM with a synthetic rubber adhesive. Quick-Applied Walkway Pads are designed to protect the Versico EPDM membrane in areas exposed to repetitive foot traffic.

Sizes Available:

30" x 30" – Product Number: 300829 – Black
30" x 30" – Product Number: 309589 – White

Quantity Per Pallet: 50

REINFORCED FLASHING



Pre-slit reinforced membrane used to overlay fasteners, plates, and end laps on VersiFleece and VersiWeld QA membranes.

TPO

Sizes Available:

45-mil

6" x 100' – Product Number: 300485 – White

6" x 100' – Product Number: 300486 – Gray

6" x 100' – Product Number: 302811 – Tan

60-mil

9" x 50' – Product Number: 310419 – White

9" x 50' – Product Number: 310417 – Gray

9" x 50' – Product Number: 310418 – Tan

80-mil

9" x 50' – Product Number: 318404 – White

Quantity Per Box: 3 rolls (6"), 2 rolls (9")

PVC

Sizes Available:

60-mil

6" x 100' – Product Number: 310360 – White (Non-Reinforced)

6" x 100' – Product Number: 324792 – Gray/Tan (Non-Reinforced)

8" x 80' – Product Number: 318669 – White (KEE HP Reinforced)

80-mil

8" x 65' – Product Number: 318670 – White (KEE HP Reinforced)

8" x 65' – Product Number: 324413 – Gray (KEE HP Reinforced)

8" x 65' – Product Number: 324414 – Tan (KEE HP Reinforced)

8" x 65' – Product Number: 324000 – White (Reinforced Coverstrip)

8" x 65' – Product Number: 324045 – Gray (Reinforced Coverstrip)

8" x 65' – Product Number: 324046 – Tan (Reinforced Coverstrip)

Quantity Per Box: 2 rolls (60-mil), 1 roll (80-mil)

NON-REINFORCED FLASHING



Non-reinforced thermoplastic membrane used to field-fabricate pipe flashings, and scuppers when the use of a pre-molded accessory is not feasible.

TPO

Sizes Available:

60-mil

12" x 50' – Product Number: 300473 – White

12" x 50' – Product Number: 300479 – Gray

12" x 50' – Product Number: 300476 – Tan

24" x 50' – Product Number: 300474 – White

24" x 50' – Product Number: 300480 – Gray

24" x 50' – Product Number: 300477 – Tan

Quantity Per Box: 1 roll

PVC

Sizes Available:

80-mil

12" x 50' – Product Number: 323792 – White/White

12" x 50' – Product Number: 323794 – Gray/Tan

24" x 50' – Product Number: 323793 – White/White

24" x 50' – Product Number: 323795 – Gray/Tan

Quantity Per Box: 1 roll

TPO PRESSURE-SENSITIVE RUSS



10" RUSS (shown) is used in place of narrow-width sheets to secure membrane in the perimeter of the roof on mechanically attached systems. 6" RUSS is also available and is used to secure membrane at the base of vertical walls for additional membrane securement without penetrating the sheet.

Sizes Available:

6" x 100' – Product Number: 303373

10" x 100' – Product Number: 305442

Quantity Per Box: 1 roll (10"), 2 rolls (6")

TPO PRESSURE-SENSITIVE COVERSTRIP



Non-reinforced TPO laminated to pressure-sensitive tape used for stripping in flat metal flanges such as shop-bent drip edge.

Sizes Available:

6" x 100' – Product Number: 303102 – White

6" x 100' – Product Number: 303103 – Gray

6" x 100' – Product Number: 303104 – Tan

Quantity Per Box: 2 rolls

YELLOW PS WARNING STRIP

Yellow PS Warning Strip is non-reinforced TPO flashing laminated to a pressure sensitive adhesive and can be applied to EPDM or TPO systems to provide a visual warning of an impending hazard (roof edge, skylight, etc.)

Sizes Available:

6" x 100' – Product Number: 325721

Quantity Per Box: 2 rolls



REINFORCED COVERSTRIP

Versico's Reinforced Coverstrip is an 8" (20.3 cm)-wide, nominal 80-mil (2.03 mm)-thick flashing that contains a polyester reinforcing fabric. Reinforced Coverstrip is used for stripping in rows of fasteners and plates and covering the butt joints of Versico PVC membranes.



PVC

Sizes Available:

80-mil

8" x 75' – Product Number: 325168 – White

8" x 75' – Product Number: 325169 – Gray

8" x 65' – Product Number: 324046 – Tan

Quantity Per Box: 1 roll



KEE HP

Sizes Available:

60-mil

8" x 100' - Product Number: 325981 – White

Quantity Per Box: 2 rolls

80-mil

8" x 75' – Product Number: 325165 – White

8" x 75' – Product Number: 325167 – Gray

8" x 65' – Product Number: 324414 – Tan

Quantity Per Box: 1 roll

PVC YELLOW SAFETY WARNING STRIP



Reinforced PVC Yellow Warning Strip can be used on PVC to indicate roof edges or other hazards.

Sizes Available:

6" x 150' – Product Number: 326180

Quantity Per Box: 2 rolls

SPLIT PIPE SEALS



Prefabricated flashings made of 60-mil reinforced VersiWeld and VersiFlex membrane used for flashing pipes with an obstruction that prevents the use of a molded pipe seal. Additional sizes and colors available through special order.

SQUARE TUBING WRAPS



Fabricated using 60-mil reinforced VersiWeld and VersiFlex membrane and designed to flash square metal tubing. A split and overlap tab are incorporated into these parts to allow the flashings to be opened and wrapped around a square penetration with an obstruction. Additional sizes and colors available through special order.

TPO

Sizes Available:

3" x 3" – Product Number: 305576 – White

3" x 3" – Product Number: 307664 – Gray

3" x 3" – Product Number: 307660 – Tan

4" x 4" – Product Number: 305577 – White

4" x 4" – Product Number: 307665 – Gray

4" x 4" – Product Number: 307661 – Tan

5" x 5" – Product Number: 305578 – White

5" x 5" – Product Number: 307666 – Gray

5" x 5" – Product Number: 307662 – Tan

6" x 6" – Product Number: 305579 – White

6" x 6" – Product Number: 307667 – Gray

6" x 6" – Product Number: 307663 – Tan

Quantity Per Box: 8

PVC

Sizes Available:

3" x 3" – Product Number: 307742 – White

4" x 4" – Product Number: 307745 – White

6" x 6" – Product Number: 307748 – White

3" x 3" – Product Number: 307743 – Gray

4" x 4" – Product Number: 307746 – Gray

6" x 6" – Product Number: 307749 – Gray

Quantity Per Box: 8

TPO

Sizes Available:

1" – Product Number: 303504 – White

1" – Product Number: 307654 – Gray

1" – Product Number: 307648 – Tan

2" – Product Number: 303505 – White

2" – Product Number: 307655 – Gray

2" – Product Number: 307649 – Tan

3" – Product Number: 303506 – White

3" – Product Number: 307656 – Gray

3" – Product Number: 307650 – Tan

4" – Product Number: 303507 – White

4" – Product Number: 307657 – Gray

4" – Product Number: 307651 – Tan

5" – Product Number: 303508 – White

5" – Product Number: 307658 – Gray

5" – Product Number: 307652 – Tan

6" – Product Number: 303509 – White

6" – Product Number: 307659 – Gray

6" – Product Number: 307653 – Tan

Quantity Per Box: 8

PVC

Sizes Available:

1" – Product Number: 307724 – White

1" – Product Number: 307725 – Gray

1" – Product Number: 307726 – Tan

2" – Product Number: 307727 – White

2" – Product Number: 307728 – Gray

2" – Product Number: 307729 – Tan

3" – Product Number: 307730 – White

3" – Product Number: 307731 – Gray

3" – Product Number: 307732 – Tan

4" – Product Number: 307733 – White

4" – Product Number: 307734 – Gray

4" – Product Number: 307735 – Tan

5" – Product Number: 307736 – White

5" – Product Number: 307737 – Gray

6" – Product Number: 307739 – White

6" – Product Number: 307740 – Gray

Quantity Per Box: 8

MOLDED PIPE SEALS



Injection-molded, pre-formed pipe flashings for pipes ¾" to 8" diameter. Molded Pipe Seals provide a reliable method of waterproofing round pipe penetrations, as well as a substantial labor savings compared to field fabrication.

TPO

Sizes Available:

¾"– 8" dia. – Product Number: 316534 – White

¾"– 8" dia. – Product Number: 316536 – Tan

¾"– 8" dia. – Product Number: 316535 – Gray

Quantity Per Box: 8

PVC

Sizes Available:

¾"– 8" dia. – Product Number: 316537 – White

¾"– 8" dia. – Product Number: 322959 – Gray

¾"– 8" dia. – Product Number: 323823 – Tan

Quantity Per Box: 8

CURB WRAP CORNERS



Fabricated flashings made of 60-mil reinforced VersiWeld membrane designed to reduce curb flashing time. Each corner has a 6"-wide base flange and a 12" overall height. One curb will require 4 corners. Other sizes and colors available through special orders. Can also be ordered in 1- or 2-piece wraps.

TPO

Sizes Available:

7" Wrap for 12" Curb –

Product Number: 305062 – White

13" Wrap for 24" Curb –

Product Number: 305063 – White

19" Wrap for 36" Curb –

Product Number: 305064 – White

Quantity Per Box: 12 pieces or
3 complete curbs

PVC

Sizes Available:

7" Wrap for 12" Curb –

Product Number: 322973 – White

Product Number: 322970 – Gray

Product Number: 322977 – Tan

13" Wrap for 24" Curb –

Product Number: 322975 – White

Product Number: 322971 – Gray

Product Number: 322978 – Tan

19" Wrap for 36" Curb –

Product Number: 322976 – White

Product Number: 322972 – Gray

Product Number: 322979 – Tan

Quantity Per Box: 12 pieces or
3 complete curbs

MOLDED SEALANT POCKETS



Interlocking, two-piece, injection-molded and weldable pockets used to waterproof pipe clusters or other oddly shaped penetrations.

TPO

Sizes Available:

6" wide x 2" high

Can be adjusted from 7½" to 11½" in length

Product Number: 316539 – White

Product Number: 316540 – Gray

Product Number: 316541 – Tan

Quantity Per Box: 5 complete pockets

PVC

Sizes Available:

6" wide x 2" high

Can be adjusted from 7½" to 11½" in length

Product Number: 316542 – White

Quantity Per Box: 5 complete pockets

RIB PROFILE



This profile is extruded from the same weather-resistant TPO or PVC compound as the membrane. The Rib Profile is secured to the TPO or PVC roofing membrane to simulate a standing seam metal roofing system. The physical dimensional stability of the profile is enhanced with fiberglass and the rectangular profile provides exceptional shadow lines for aesthetic appeal.

TPO

Sizes Available:

10' – Product Number: 324574 – White

10' – Product Number: 324572 – Gray

10' – Product Number: 324573 – Tan

Quantity Per Box: 20

PVC

Sizes Available:

10' – Product Number: 321909 – White

10' – Product Number: 321911 – Gray

10' – Product Number: 321910 – Tan

Quantity Per Box: 20

TPO SEALANT POCKET EXTENSIONS



Reinforced TPO laminated to TPO-coated metal and used to extend the lengths of the molded or prefabricated sealant pockets.

Sizes Available:

2" x 10" – Product Number: 307769 – White

Quantity Per Box: 10

INSIDE/OUTSIDE CORNERS



Pre-molded and used for flashing inside and outside corners on a variety of details.

TPO

Sizes Available: One Size

Product Number: 300020 – Gray – Inside/Outside
Product Number: 300025 – Tan – Inside/Outside
Product Number: 300016 – White – Outside
Product Number: 307406 – White – Inside
Product Number: 307407 – Tan – Inside
Product Number: 307408 – Gray – Inside

Quantity Per Bag: 12

PVC

Sizes Available: One Size

Product Number: 307715 – White – Outside
Product Number: 307712 – White – Inside
Product Number: 323935 – Gray/Tan – Outside
Product Number: 323936 – Gray/Tan – Inside

Quantity Per Bag: 12

WALKWAY ROLLS AND PADS



Heat-weldable walkway rolls designed to protect Versico's TPO and PVC membranes in areas exposed to repetitive foot traffic and other hazards.

TPO WALKWAY ROLLS

Sizes Available:

34" x 50' – Product Number: 310508 – White
34" x 50' – Product Number: 310509 – Gray
34" x 50' – Product Number: 310510 – Tan
Packaged Individually



PVC WALKWAY ROLLS

Sizes Available:

36" x 60' – Product Number: 307711 – Gray
Packaged Individually

T-JOINT COVERS



Injection-molded non-reinforced flashings used to seal T-Joint splice intersections.

TPO

Sizes Available:

4½" dia. – Product Number: 307476 – White
4½" dia. – Product Number: 307477 – Tan
4½" dia. – Product Number: 307478 – Gray

Quantity Per Box: 100

PVC

Sizes Available:

4½" dia. – Product Number: 308224 – White
4½" dia. – Product Number: 309494 – Gray
4½" dia. – Product Number: 309847 – Tan

Quantity Per Box: 100

COATED METAL



24-gauge (0.6 mm) galvanized steel sheet that is coated with a layer of .035" non-reinforced flashing. Membrane may be welded directly to the coated metal. The sheet is cut to the appropriate width and used to fabricate metal drip edges or other roof perimeter edging profiles.

TPO

Sizes Available:

10 Pcs/Pallet –
4' x 10' – Product Number: 309272 – White
4' x 10' – Product Number: 309274 – Tan
4' x 10' – Product Number: 309273 – Gray

25 Pcs/Pallet –

4' x 10' – Product Number: 303181 – White
4' x 10' – Product Number: 303182 – Tan
4' x 10' – Product Number: 303183 – Gray

PVC

Sizes Available:

10 Pcs/Pallet –
4' x 10' – Product Number: 307708 – White
4' x 10' – Product Number: 307710 – Tan
4' x 10' – Product Number: 307709 – Gray

HPV FASTENER




Applicable to steel, 22-gauge and heavier, CDX plywood and wood plank deck types. Can be used to secure VersiGard reinforced membranes, RTS and for insulation securement. Longer fastener sizes available as special order.

Sizes Available:
1 1/4", 2"– 15"
(1" Increments)

Size & Quantity Per Box:
1 1/4", 2"– 6": 1,000;
7"– 12": 500;
13"– 15": 250;
1 1/4": 1000

RETRODRILLER




A specially designed fastener with a 1/2" drill point used for attaching Sure-Tough, Sure-Weld and Sure-Flex membranes to structural steel purlins (up to 3/16") in standing seam metal roof retrofit applications.

Sizes Available:
4", 5", 6", 8" & 10"

Size & Quantity Per Box:
500

MP 14-10




A #14 diameter fastener used for VersiGard reinforced, VersiWeld and VersiFlex membrane securement into wood and concrete decks. Also applicable to insulation securement into steel, wood and concrete decks.

Sizes Available:
1 1/4", 1 3/4", 2"– 14"
(1" Increments)

Size & Quantity Per Box:
1 1/4"– 4": 1,000; 5"– 11": 500;
12"– 14": 250

INSULTITE



Applicable for VersiGard, VersiWeld, and VersiFlex mechanically attached and fully adhered roofing systems. Compatible with wood (minimum 1 5/32" [12 mm] CDX plywood) and steel decks (22-gauge [0.76 mm] or heavier).

Sizes Available:
2"– 8" (1" Increments)
1 5/8", 2", 3"– 8" (1" Increments)

Size & Quantity Per Box:
2"– 8": 1,000

GYPTec FASTENER & PLATE



Applicable to cementitious wood fiber, lightweight concrete and gypsum decks. Can be used to secure VersiGard reinforced, VersiWeld and VersiFlex membranes and insulation.

Sizes Available:
2 1/2"– 10" (1/2" Increments)


Size & Quantity Per Box:
2 1/2"– 7": 500; 7 1/2"– 10": 250

GYPTec PLATE

Sizes Available:
2" Metal membrane plate
3" Metal insulation plate

Quantity Per Box:
1,000

CD-10



Applicable for concrete decks. Used to secure VersiGard, VersiWeld and VersiFlex membranes and for insulation securement.

Sizes Available:
2"– 5 1/2" (1/2" Increments)
6"– 12" (1" Increments)

Size & Quantity Per Box:
2"– 8": 500; 9"– 12": 250

Fasteners & Plates

INSULTITE ASAP WITH POLYMER PLATE



A pre-assembled #12 diameter fastener and plastic insulation plate applicable to steel and wood decks. Used to secure insulation only. Longer fastener sizes available as special order.

Sizes Available: 2¼", 3"- 8" (1" Increments)
Size & Quantity Per Box: 2¼"- 8": 250



HPVX FASTENER & HPV-XL FASTENER



A #15 diameter fastener applicable to steel, wood and CDX plywood. Can be used to secure VersiGard, VersiWeld and VersiFlex membranes.

Sizes Available: 2"- 12" (1" Increments)
Size & Quantity Per Box: 2"- 4": 1,000; 5"- 12": 500; 14"- 16" (2" Increments) 14"- 16": 250

HPV-XL FASTENER

Also Available (Not shown)

A #21 diameter fastener applicable to steel, wood and CDX plywood decks.

Sizes Available: 2"- 8" (1" increments)
Size & Quantity Per Box: 500 (2" - 6"), 250 (7" - 8")

HPVX ASAP



A pre-assembled HPVX Fastener and HPVX Plate applicable to steel, wood and CDX plywood decks. Used to secure VersiWeld and VersiFlex membranes.

Sizes Available: 2"- 8" (1" Increments)
Size & Quantity Per Box: 2"- 8": 250; 10"- 12": 200; 10"-14" (2" Increments) 14": 150



HPV ASAP



Pre-assembled HPV Fastener and Polymer seam plate applicable to steel, wood and CDX plywood decks. Used to secure VersiGard reinforced membranes.

Sizes Available: 2"- 12" (1" Increments)
Size & Quantity Per Box: 2": 500; 3": 450; 4", 5": 400; 6": 350; 7", 8": 300; 9": 250; 10"- 12": 200



RHINO BOND® PLATE



3"-round, specially coated plates used with HPVX Fasteners and the RhinoBond induction welding system. Available in TPO and PVC versions.

Sizes Available: 3" dia.
Quantity Per Box: 500
 Product Number: 317316 - TPO
 Product Number: 318519 - PVC



POLYMER SEAM PLATE



Used in conjunction with HPV Fasteners. Required for EPDM membrane and RTS attachment for mechanically attached roofing systems over steel decks.

Sizes Available: 2" dia.
Quantity Per Box: 1,000

HPV-XL POLYMER SEAM PLATE

Also Available (Not shown)

For use with HPV-XL Fastener to secure VersiGard reinforced membrane to steel decks.

Sizes Available: 2¾" dia.
Quantity Per Box: 1,000



Fasteners & Plates

SEAM FASTENING PLATE



Applicable with HPV, MP 14-10 and CD-10 fasteners to mechanically attach VersiGard, VersiWeld and VersiFlex membrane and RTS (excluding steel decks).

Sizes Available:
2" dia.

Quantity Per Box:
1,000



INSULATION FASTENING PLATE



Applicable with Insultite, HPV and CD-10 fasteners. Used for insulation securement only on steel, wood and concrete decks. Available in steel or plastic.

Sizes Available:
3" dia.

Quantity Per Box:
1,000

HPVX PLATE



Along with the appropriate fastener, used to secure VersiWeld and VersiFlex membranes to steel, concrete and wood decks.

Sizes Available: 2³/₈" dia. **Quantity Per Box:** 1,000

HPV-XL PLATE

Also Available (Not shown)

For use with HPV-XL Fastener to secure VersiWeld and VersiFlex membranes to steel and wood decks.

Sizes Available: 2³/₈" dia. **Quantity Per Box:** 1,000



OVAL BARBED PLATE



Use with all VersiFlex PVC polyester-reinforced membranes. These plates are designed to mechanically attach VersiFlex PVC membrane to metal, wood and concrete decks.

Sizes Available:
1¹/₂" X 2³/₄"

Quantity Per Box:
500





Fasteners & Plates

TERMINATION BAR (ALUMINUM)



Extruded aluminum bar that is designed for securing and sealing compression type flashing terminations. The bar features a top edge for ease of applying Versico's Lap Sealant for EPDM installations or Universal Single Ply Sealant for TPO and PVC installations. The bar can be easily cut to any desired length.

Sizes Available:
1" wide x 10' long

Quantity Per Box:
50 pcs; 500 Linear Feet



METAL FASTENING BAR



Galvalume™-coated metal bar used to mechanically attach EPDM membranes. The bar can be easily cut to desired length. Installed using HPV Fasteners.

Sizes Available:
1" wide x 10' long

Quantity Per Box:
50 pcs; 500 Linear Feet



TERM BAR NAIL-IN



Used with Versico's Termination Bar or Seam Fastening Plates to secure membrane to concrete block, brick, or structural concrete walls. A zinc-plated steel pin provides excellent corrosion resistance while the zinc alloy body provides excellent holding power.

Sizes Available:
1 1/4"

Quantity Per Box:
1,000



PURLIN FASTENER



Used with Versico's Metal Retrofit Roofing System to secure membrane and RTS to structural steel purlins. Compatible with 2" Polymer Plates. Provides superior back-out resistance in standard 16-gauge Purlins.

Sizes Available:
3 3/4", 4 3/4", 5 3/4", 7", 8"

Quantity Per Box:
1,000



ACCUTRAC PLATE (INSULATION)



AccuTrac Plates are 3" square flat- or recessed-bottom plates made of Galvalume-coated steel. Used to fasten insulation with the AccuTrac Tool.

Sizes Available:
3"

Quantity Per Box:
1,000



SECURFAST™ INSULATION FASTENING PLATE



Designed for SECUROCK® securement under VersiGard, VersiWeld, or VersiFlex roofing systems. Plates are stamped from Galvalume-coated steel for long-term protection against corrosion.

Sizes Available:
2 7/8"

Quantity Per Box:
1,000





Adhesives & Sealants



VersiGard EPDM



VersiFleece



VersiWeld TPO



VersiFleece AC



VersiFlex PVC



Low VOC Product

G200SA SUBSTRATE ADHESIVE



A high-strength, solvent-based contact adhesive that allows quick bonding of cured EPDM membranes to various substrates. Designed for bonding VersiGard (black and white) non-reinforced, VersiGard reinforced, and Epichlorohydrin membranes to approved substrate.

Coverage Rate: 60 square feet per gallon of finished surface.

Packaging: 5-gal pail

Product Number: 302141

Shelf Life: 12 months



EPDM x-23 LOW-VOC BONDING ADHESIVE*



A high-strength, solvent-based contact adhesive that bonds EPDM membranes to various porous and non-porous substrates. This product meets the <250 gpl VOC content requirements of the OTC Model Rule for Single-Ply Roofing Adhesives.

Coverage Rate: 60 square feet per gallon of finished surface.

Packaging: 5-gal pail

Product Number: 324002

Shelf Life: 12 months



LOW-VOC BONDING ADHESIVE & LOW-VOC BONDING ADHESIVE 1168



A high-strength, solvent-based contact adhesive that allows bonding of all EPDM and TPO membrane to various porous and non-porous substrates. Low-VOC Bonding Adhesive meets the <250 gpl VOC content requirements of the OTC Model Rule for Single-Ply Roofing Adhesives. Low-VOC Bonding Adhesive 1168 meets the requirements for SCAQMD regulations.

Coverage Rate: 60 square feet per gallon of finished surface.

Packaging: 5-gal pail

Product Number: 303090

Shelf Life: 12 months



VERSIWELD TPO BONDING ADHESIVE



A high-strength, solvent-based contact adhesive that allows bonding of VersiWeld membrane to various porous and non-porous substrates.

Coverage Rate: 60 square feet per gallon of finished surface.

Packaging: 5-gal pail

Product Number: 302323

Shelf Life: 12 months



LOW-VOC PVC BONDING ADHESIVE



A high-strength, solvent-based contact adhesive that allows bonding of PVC and KEE HP membrane to various porous and non-porous substrates. Meets the <250 gpl VOC content requirements of the OTC Model Rule for Single-Ply roofing adhesives.

Coverage Rate: 60 square feet per gallon finished surface.

Packaging: 5-gal pail

Product Number: 309126

Shelf Life: 12 months



* Not Compliant in all CA counties



Adhesives & Sealants

HYDROBOND™ PVC WATER-BASED ADHESIVE



A water-based, wet lay-in, one-sided dispersion adhesive that is used to secure VersiFlex PVC and VersiFleece® PVC membranes to a variety of substrates. Complies with the California Clean Air Act of 1988 (updated in 1997) and California Air Quality Control District's listing of VOC limitations. Meets the requirements of the OTC Model Rule for Single-Ply Roofing Adhesives. Cannot be used with KEE HP smooth-backed membrane.

Coverage Rate:

Smooth-backed membrane:

Roller application – 100 square feet per gallon of finished surface.
Spray application – 133 square feet per gallon of finished surface.

VersiFleece membrane:

Roller application – 100 square feet per gallon over polyiso, DensDeck, DensDeck Prime, SECUROCK, and plywood.
Spray application – 100 square feet per gallon over DensDeck and 133 square feet per gallon over polyiso, DensDeck Prime/ SECUROCK, and plywood.

Packaging: 5-gal pail

Product Number: 322112

Shelf Life: 12 months

AQUA BASE 120 BONDING ADHESIVE



A semi-pressure-sensitive water-based adhesive. This product may be used as a two-sided contact adhesive with EPDM and TPO membranes.

Coverage Rate: 120 square feet per gallon finished surface. (May vary due to conditions such as insulation type or wall construction.)

Packaging: 5-gal pail

Product Number: 307431

Shelf Life: 12 months

SOLVENT-FREE EPDM BONDING ADHESIVE



A high-strength, low-odor, polymer-based adhesive that allows fast installation of EPDM membranes and cured flashings to various substrates. This adhesive is specially designed for installing VersiGard (black and white) non-reinforced EPDM membranes.

Coverage Rate: 100 square feet per gallon.

Packaging: 5-gal pail

Product Number: 318127

Shelf Life: 6 months



CAV-GRIP™



CAV-GRIP is a multi-purpose contact adhesive/primer recommended for enhancing the bond of Versico's 725TR Air and Vapor Barrier. CAV-GRIP can also be used as a primer for unexposed asphalt.

Coverage Rate: 50-55 square feet per lb, 2,000-2,500 square feet per cylinder for 725TR or priming unexposed asphalt.

Packaging: 40-lb aerosol cylinder

Product Number: 305432

Shelf Life: 12 months unopened container



COLD-APPLIED ADHESIVE



An asphalt-modified polyether, one-sided, wet lay-in adhesive designed to adhere to VersiFleece AC membranes and Versico's modified base sheet.

Coverage Rate: 67 square feet per gallon for finished or smooth surfaces. 50 square feet per gallon of finished surface for uneven surfaces.

Packaging: 5-gal pail

Product Number: 319689

Shelf Life: 9 months when stored below 90°F





Adhesives & Sealants



DASH™ ADHESIVE



A low-rise, two-component, insulating polyurethane adhesive used to adhere a variety of insulations and Versico's VersiFleece membranes. Can be applied in full spray or beads.

Coverage Rate: See TDB.

Packaging:

50-gal drum – Part A – Product Number: 304003	15-gal drum – Part A – Product Number: 304001
50-gal drum – Part B – Product Number: 304004	15-gal drum – Part B – Product Number: 304002



DASH DUAL CARTRIDGE
Product Number: 315177

DUAL CARTRIDGE IC (WINTER GRADE)
Product Number: 315179

Shelf Life: 12 months (Part A and Part B)

BAG-IN-A-BOX

Part A –
Also available (not shown)
Product Number: 318197

Part B –
Also available (not shown)
Product Number: 318198

BAG-IN-A-BOX
WINTER GRADE
Also available (not shown)
Product Number: 318199

Static Mixing Tip: 305573

FLEXIBLE DASH ADHESIVE

A low-rise, two-component, VOC-free, energy absorbing, impact-resistant adhesive used to adhere VersiFleece membranes and insulation boards to various substrates for a totally non-penetrating system application.

Coverage Rate: See Technical Data Bulletin.

Packaging:

50-gallon drums – Part A – Product Number: 310472
50-gallon drums – Part B – Product Number: 310473
15-gallon drums – Part A – Product Number: 317329
15-gallon drums – Part B – Product Number: 317331
Dual Cartridge – Product Number: 322958

Shelf Life: 12 months (Part A and Part B)



DASH DUAL TANK ADHESIVE



A two-component, construction-grade, lowrise polyurethane adhesive designed for bonding Versico's VersiFleece membranes and/or insulation to various substrates. Applied in spatter spray or beads. Part A box includes 8 nozzle tips, gun, and 25' hose.

Coverage Rate: See Technical Data Bulletin.

Packaging:

Dual Tank – Part A – Product Number: 325445
Dual Tank – Part B – Product Number: 325664

Shelf Life: 12 months (Part A and Part B)

V-150 EPDM PRIMER



A solvent-based product designed for cleaning and priming EPDM membranes prior to the application of QA products.

Coverage Rate: As high as 450 square feet per gallon with clean EPDM membrane. Approx. 250 square feet per gallon with standard membrane.

Packaging: (6) 1-gal cans

Product Number: 302081

Shelf Life: 9 months



Adhesives & Sealants

TPO PRIMER



A high-solids, clear polymer-based primer used to prepare TPO membrane prior to the application of TPO pressure-sensitive products.

Coverage Rate: 200 – 250 square feet (one surface) per gallon.

Packaging: (6) 1-gal cans

Product Number: 310471

Shelf Life: 12 months unopened can



LOW-VOC PRIMER



Designed for one-step priming of EPDM and TPO surfaces prior to the application of pressure-sensitive products. It is a Low-VOC product that is ideal for use where environmental issues are a concern.

Coverage Rate: As high as 700 square feet per gallon with TPO or Clean (No Dust) EPDM membrane. Approx. 250 square feet per gallon with dusted EPDM membrane.

Packaging: (6) 1-gal cans

Product Number: 316522

Shelf Life: 9 months



WEATHERED MEMBRANE CLEANER



Used to clean both new and in-service VersiGard EPDM membrane and VersiWeld TPO membrane prior to the welding process. It helps to loosen and remove dirt and other contaminants from the surface of the membranes and leaves a suitable surface for application of adhesive or primer. Please refer to the Technical Data Bulletins for specific instructions for EPDM and TPO applications. Membrane cleaner is clear in color.

Coverage Rate: 400 square feet (one surface) per gallon.

Packaging:

(2) 1-gal closed-top cans, 5-gal closed-top pail

1-gal cans

Product Number: 304066

5-gal pail

Product Number: 302074



PVC MEMBRANE CLEANER



This cleaner is specially formulated to clean both new and in-service VersiFlex PVC membrane.

Coverage Rate: 400 square feet (one surface) per gallon.

Packaging: 5-gal closed-top pail

Product Number: 308352



* Not Compliant in all CA counties



Adhesives & Sealants

 VersiGard EPDM

 VersiFleece

 VersiWeld TPO

 VersiFleece AC

 VersiFlex PVC

 Low VOC Product

CCW-702 AND CCW-702LV PRIMERS



Solvent-based, high-tack adhesives specifically designed to promote maximum adhesion of Versico 725TR Air and Vapor Barrier to approved substrates. They are also used as a surface prep to promote adhesion with DASH Adhesive.

Coverage Rate: 300-350 square feet per gallon.

Packaging: 5-gal pails

CCW-702

Product Number: 305363

CCW-702LV

Product Number: 316148

Shelf Life: 12 months unopened pail



* CCW-702LV only – not Compliant in all CA counties

WATER CUT-OFF MASTIC



A one-component, low-viscosity, self-wetting, butyl-blend mastic designed to be used in conjunction with roofing and waterproofing systems. It is primarily used as a sealing agent between various membranes and substrates for compression type terminations.

Coverage Rate: 10' per tube, using a 7/16" bead.

Packaging: 25 Tubes/carton

Product Number: 302202

Shelf Life: 12 months unopened container



X-TENDA COAT™ T-23 PRIMER



A low-viscosity, water-based acrylic primer designed to promote optimal adhesion of X-Tenda Coat Acrylic Coating and other acrylic topcoats to new or existing TPO and most PVC single-ply membranes.

Coverage Rate: 200-300 square feet per gallon, using an airless sprayer or a roller, to a properly prepared surface. Appropriate coverage rate will depend on the condition of the surface.

Packaging: 5-gallon pail

Product Number: 323322

Shelf Life: 12 months



G300 BLACK & WHITE LAP SEALANTS



The consistency enables it to expand and contract with membrane movement without loss of adhesion. Lap Sealants may be used to seal mechanical terminations, the cut edges of VersiGard Reinforced EPDM membranes and for sealing at splice intersections. Lap Sealant must be applied and feathered on all seam edges by the end of the working day.

Coverage Rate: 22' per tube using a 5/16" bead.

Packaging: 25 tubes/carton

Product Number: 302189 – Black; 309819 – White

Shelf Life: 12 months



UNIVERSAL SINGLE-PLY SEALANT



A 100%-solids, solvent-free, one-part, polyether sealant that provides a weathertight seal to a variety of building substrates. Universal Single-Ply Sealant can be used in lieu of lap sealant for VersiWeld, VersiFlex and VersiGard white adhered and mechanically attached roofing systems.

Coverage Rate: 25' per tube or 600' per carton using a 1/4" bead.

Packaging: 24 Tubes/carton

Product Number: 310131

Shelf Life: 12 months unopened container (@ <90°F)





Adhesives & Sealants

CUT EDGE SEALANT



TPO CUT EDGE SEALANT

A clear, free-flowing polymeric material designed for sealing cut edges (exposed fabric) of VersiWeld TPO membrane.

Coverage Rate: 225'-275' per 16-oz. bottle when applied with 1/8" bead.

Packaging: (8) 16-oz. bottles/carton

Product Number: 303436

Shelf Life: 12 months



PVC CUT EDGE SEALANT

Also Available (Not shown)

PVC Cut Edge Sealant is recommended for sealing cut edges (exposed fabric) of VersiFlex PVC Membrane. Cut Edge Sealant is clear in color.

Coverage Rate: 225'-275' per bottle when applied with 1/8" bead.

Packaging: (12) 16-oz. bottles/carton

Product Number: 307754

Shelf life: 12 months



* Not Compliant in all CA counties

SPLICE ADHESIVE



Designed for splicing cured-to-cured EPDM membranes and non-QA flashings, this high-strength, solvent-based contact cement allows quick bonding of flashing, sheeting, and cured rubber seams. Formulated for application with a 1/2" medium nap roller and/or a 1/2"-thick paint brush, the versatile tack time allows large areas to be coated and adhered at one time.

Coverage Rate: 100 square feet per gallon.

Packaging: (6) 1-gal cans – Black and White

Product Number: 309550 – Black; 302147 – White

Shelf Life: 12 months – Black; 9 months – White



BLACK ONE-PART POURABLE SEALER



A single-component, moisture-curing, elastomeric polyether sealant that is compatible with Versico's EPDM membranes. It is designed to provide a flexible, durable and long-lasting seal around hard-to-flash penetrations. The sealant's consistency allows for quick pocket filling without mixing. Unused sealant is usable for up to 30 days if pouch is resealed with original cap. Black one-part pourable sealer is black in color.

Coverage Rate: 122 cubic inches of volume per 1/2-gal pouch.

Packaging: (4) 1/2-gal pouches per bucket

Product Number: 307647

Shelf Life: 12 months unopened container

WHITE ONE-PART POURABLE SEALER



A single-component, moisture-curing, elastomeric polyether sealant that is compatible with Versico's white EPDM, TPO and PVC membranes. It is designed to provide a flexible, durable and long-lasting seal around hard-to-flash penetrations. The sealant's consistency allows for quick pocket filling without mixing. Unused sealant is usable for up to 30 days if pouch is resealed with original cap. White one-part pourable sealer is white in color.

Coverage Rate: 122 cubic inches of volume per 1/2-gal pouch.

Packaging: (4) 1/2-gal pouches per bucket

Product Number: 307603

Shelf Life: 18 months



VERSICO

Insulation

MP-H POLYISO

A rigid roof insulation panel composed of a closed-cell polyisocyanurate foam core bonded to glass-reinforced felt (GRF) facers. UL and FM approved for direct applications over steel decks, polyiso provides the highest R-value per inch of any commercially available insulation product.

Sizes: 4' x 4' and 4' x 8'

Thickness: 1" to 4.5"

* Also available in 25 PSI, Grade 3.

** Manufactured in both flat and tapered panels.



SECURSHIELD™

A rigid roof insulation panel composed of a closed cell polyisocyanurate foam core bonded to high performance coated glass facers (CGF). The premium facer provides improved fire ratings, enhanced wind uplift performance and superior moisture and mildew resistance. Ideal for use in adhered membrane systems.

Sizes: 4' x 4' and 4' x 8'

Thickness: 1" to 4.5"

* Also available in 25 PSI, Grade 3.

** Manufactured in both flat and tapered panels.




SECURSHIELD HD

A rigid roof insulation panel composed of a 1/2" high-density, closed-cell polyisocyanurate foam core bonded to a premium performance coated glass facer (CGF). Specifically designed for use as a cover board. Provides 5 times the R-value at 5 times less weight than traditional gypsum cover boards.

Sizes: 4' x 8'

Thickness: 1/2"




SECURSHIELD HD PLUS

A rigid roof insulation panel composed of a 1/2" high-density, closed-cell polyisocyanurate foam core bonded to a premium-performance coated glass facer (CGF). Specifically designed for use as a cover board. Provides an FM 1-90 wind uplift rating with only 8 fasteners per 4' x 8' board.

Sizes: 4' x 4' and 4' x 8'

Thickness: 1/2"

Compressive Strength: 100psi



SECURSHIELD HD COMPOSITE

A unique composite insulation panel comprised of a 1/2" high-density 100psi polyiso cover board bonded during the manufacturing process to SecurShield rigid polyiso roof insulation. Eliminates the need for a separate cover board, reduces inter-ply adhesives, and saves labor on the roof.

Sizes: 4' x 4' and 4' x 8'

Thickness: 2" to 4.5"





VERSICO


Insulation

MB-HNB POLYISO

A rigid roof insulation composite panel comprised of a closed-cell polyisocyanurate foam core bonded to a glass-reinforced felt (GRF) facer on one side and either $\frac{7}{16}$ " or $\frac{5}{8}$ " oriented strand board (OSB) on the other. $\frac{5}{8}$ " and $\frac{3}{4}$ " plywood, as well as FSC Certified OSB and plywood options, are also available.

Sizes: 4' x 8'

Thickness: 1" to 4.5"



MP-HF POLYISO

A rigid roof insulation panel composed of a closed-cell polyisocyanurate foam core bonded to impermeable foil facers on both sides. Foil facers provide extremely low water absorption and a zero water vapor permeance rating.

Sizes: 4' x 4' and 4' x 8'

Thickness: $\frac{1}{2}$ " to $4\frac{1}{2}$ "

Compressive Strength: 20 and 25psi



SECURSHIELD CD

A rigid roof insulation panel composed of a closed-cell polyisocyanurate foam core bonded to enhanced coated glass facers (CGF). Provides a UL Class A fire rating at only 1" on combustible decks.

Sizes: 4' x 4' and 4' x 8'

Thickness: 1"

Compressive Strength: 20 and 25psi




INSULFOAM® SP EPS

Premium coated glass-faced insulation approved for mechanically-attached or self-adhering systems without a slip sheet. Warranted long-term R-value providing up to R30 in a single layer.

Sizes: 4' x 4' or 4' x 8'; custom sizes and taper panels available

Thickness: $\frac{1}{4}$ " to 6"

Densities: 1.25 to 3 lb/ft³



TAPERED POLYISO

A sloped rigid roof insulation panel composed of a closed-cell polyisocyanurate foam core bonded to either high-performance coated glass (CGF) or glass-reinforced felt (GRF) facers. Designed to promote positive drainage and prevent ponding water. Design assistance is available from Carlisle's Tapered Design group.

Sizes: 4' x 4' and 4' x 8'

Thickness: $\frac{1}{2}$ " to 4 $\frac{1}{2}$ "

Compressive Strength: 20 and 25psi






VERSICO

Insulation

INSULFOAM EPS FLUTE-FILL

Custom cut, engineered EPS flute-fill insulation manufactured for virtually any standing seam profile. Meets ASTM C578 requirements and includes extensive UL and FM ratings, including installations direct to metal deck.

Thickness, Shape and Size: Custom manufactured to fit any roof profile




HINGED TARGET SUMP™

A factory-assembled, one-piece drainage sump that helps reduce field labor and eliminate waste. The Hinged Target Sump ships in 4' x 8' pallets and unfolds to a complete 8' x 8' sump. It is manufactured in multiple thicknesses and slopes to accommodate specific job conditions, and is available with standard MP-H or SecurShield facers in 20 or 25 psi.

Sizes: 4' x 8' and folds out to 8' x 8'

Available Slopes: 1/16", 3/16", 3/8", 1/8", 1/4" and 1/2"




PRE-CUT HIPS AND VALLEYS

Factory produced using two 4' x 4' panels of Tapered MP, or Tapered SecurShield, and then cut in half at a 45-degree angle. Only the two halves that you need are shipped.

Sizes: 4' x 4'

Available Slopes: 1/16", 3/16", 3/8", 1/8", 1/4" and 1/2"



INSULFOAM EPS

Engineered rigid insulation consisting of high-performance, water-resistant expanded polystyrene (EPS). Meets ASTM C578 requirements, includes extensive UL and FM ratings and can be applied direct to the metal deck. Warranted long-term R-value of up to 5.05/inch @40°F.

Sizes: 4' x 4' or 4' x 8'; custom sizes available

Thickness: 1/4" to 40" per panel

Densities: 1 to 3 lb/ft³



INSULFOAM EPS (40/60 PSI)

High compressive-strength engineered EPS. Ideal for plaza decks, garden or vegetative roofs, IRMA and high traffic areas that require additional strength and water-resistance. Available in thicknesses up to 40" in a single layer.

Sizes: 4' x 4' or 4' x 8'; custom sizes and taper panels available

Thickness: 1/4" to 40" per panel

Compressive Strength: 40 and 60 psi





VERSICO

Insulation


INSULFOAM EPS TAPER

Tapered engineered EPS insulation available in virtually any slope, with panels up to 40" in a single layer. Can be combined with Versico polyiso for tapered hybrid roof systems. Custom saddles and crickets also available.

Slope: Virtually any slope

Thickness: ½" to 40"

Densities: 1 to 3 lb/ft³



R-TECH® FANFOLD RECOVER BOARD

A high-performance, rigid insulation consisting of a superior closed-cell, lightweight and resilient expanded polystyrene (EPS) with advanced polymeric laminate facers. R-Tech is available with factory-adhered metallic-reflective facers and white facers. R-Tech Fanfold Recover Board is an ENERGY STAR®-qualified insulation and can contribute toward LEED® certification credits.

Sizes: 2 square bundles (2' x 4' folded/4' x 50' unfolded)

Thickness: ⅜", ½", ¾"




SECURSHIELD HD EPS COMPOSITE

A premium composite insulation consisting of a closed-cell, lightweight and resilient expanded polystyrene (EPS) bonded to high-density polyisocyanurate cover board. The polyisocyanurate cover board is manufactured at ½" thickness and 100 psi compressive strength. The EPS is available in compressive strengths from 10 - 60 psi and densities from 1 - 3 pcf.

Sizes: 4' x 4' and 4' x 8'

Thickness: 1.5" to 7"

* Manufactured in flat and tapered panels.




R-TECH

A high-performance rigid insulation consisting of a superior closed-cell, lightweight and resilient expanded polystyrene (EPS) with advanced polymeric laminate facers. R-Tech comes with a factory-adhered white facer and a metallic-reflective facer. R-Tech has excellent dimensional stability, compressive strength and water-resistant properties. R-Tech is an ENERGY STAR-qualified insulation and can contribute towards LEED certification credits.

Sizes: 4' x 4' and 4' x 8'

Thickness: ⅜" to 1"





VERSIGARD®

EPDM Packaging Guide

As Versico's EPDM product offering has increased, it has become necessary to re-categorize its products into color families for easier identification in the warehouse. Standard sheeting will be packaged in full-color bags while sheeting with QAT™ will come in white bags with color-matched ink.



- 1 Unroll direction
- 2 Length and width indicated on core
- 3 Versico logo prominently displayed on large label for easy brand identification
- 4 Enlarged gauge and product identification
- 5 Code Approvals
- 6 Clean or Dusted designation
- 7 2-Pack designation (when applicable)
- 8 QAT Unrolling Instructions
- 9 Color strip on QAT bags for product identification






VERSIGARD®

EPDM Packaging Guide

VERSIGARD® NON-REINFORCED MEMBRANES (GREEN FAMILY)



Standard Sheeting





Sheeting with QAT

VERSIGARD REINFORCED MEMBRANES (GRAY FAMILY)



Standard Sheeting




Sheeting with QAT

VERSIGARD WHITE MEMBRANES (TEAL FAMILY)

Standard Sheeting



Sheeting with QAT



HIGH-DEMAND MEMBRANES (YELLOW FAMILY)



60-mil 10x100 and 10x50 pre-cleaned membranes will remain in pre-branded yellow bags.



Quick Reference Guide

EPDM Systems	BALLASTED	FULLY ADHERED	MECHANICALLY ATTACHED REINFORCED	MECHANICALLY ATTACHED NON-REINFORCED	COVERAGE RATE OR AVAILABLE SIZES	PACKAGING
MEMBRANES						
VersiGard Black Non-Reinforced 45-, 60- & 90-mil EPDM	✓	✓				4.5-50' x 50-200' per roll
VersiGard White Non-Reinforced 60-mil White EPDM		✓				10'-30' x 50-100' per roll
VersiGard Reinforced 45-, 60- & 75-mil EPDM	✓	✓	✓			4.5-10' x 50-100' per roll
VersiGard w/Quick-Applied Tape (QAT)	✓	✓	✓	✓	Various sizes and thicknesses	Single packs or 2 packs
ADHESIVES & SEALANTS						
Low-VOC Primer	✓	✓	✓	✓	400 sq. ft per gallon (dusty membrane) Up to 700 sq. ft per gallon (no-dust membrane)	(6) 1 gallon cans per case
V-150 Primer	✓	✓	✓	✓	3" seam=300 linear feet per gallon	(6) 1 gallon cans per case
G200SA Yellow Substrate Adhesive		✓	✓		60 sq. ft per gallon	5 gallon pail
Solvent-Free EPDM Bonding Adhesive		✓ Non-reinforced only			100 sq. ft per gallon	5 gallon pail
Aqua Base 120 Bonding Adhesive		✓			100-120 sq. ft. per gallon	5 gallon pail
Low-VOC Bonding Adhesive		✓			60 sq. ft. per gallon	5 gallon pail
G300LS Black Lap Sealant	✓	✓	✓	✓	22' per tube	25 tubes per carton
White Lap Sealant	✓	✓	✓	✓	22' per tube	25 tubes per carton
One-Part Pourable Sealer (Black/White)	✓	✓	✓	✓	231 cubic inches per gallon	(2) 1 gallon cans per case
DASH Dual Cartridge Adhesive		✓	✓	✓	600 sq. ft. (12" O.C.), 300 sq. ft. (6" O.C.), 200 sq. ft. (4" O.C.)	4 sets per carton
Weathered Membrane Cleaner	✓	✓	✓	✓	400 sq. ft. per gallon	1 gallon or 5 gallon pail
Water Cut-Off Mastic	✓	✓	✓	✓	10' per tube	10 tubes per carton
Quick-Applied Seam Tape	✓	✓	✓	✓	3" x 100', 6" x 100'	4 rolls per carton, 2 rolls per carton
FLASHINGS						
Quick-Applied Uncured EPDM Flashing (Black/White)	✓	✓	✓	✓	6" x 100', 9" & 12" x 50'	6" - 2 rolls per carton 9" & 12" - 1 roll per carton
Quick-Applied Cured Coverstrip (Black/White)	✓	✓	✓	✓	6" x 100', 9" x 100' & 12" x 50'	6" - 2 rolls per carton 9" & 12" - 1 roll per carton
Quick-Applied Overlayment Strip (Black)	✓	✓	✓	✓	6" x 100', 9" x 10" & 12" x 50'	6" - 2 rolls per carton 9" & 12" - 1 roll per carton
Quick-Applied RTS (Black)	✓	✓	✓	✓	6, 9" x 100'	6" - 2 rolls per carton 9" - 1 roll per carton
Quick-Applied Pipe Seals (Black/White)	✓	✓	✓	✓	1" - 3" & 1" - 6" pipes	10 per carton
Quick-Applied Pourable Sealer Pockets (Black/White)	✓	✓	✓	✓	4", 6" & 8"	12 per carton
Quick-Applied Inside/Outside Corners (Black/White)	✓	✓	✓	✓	7" x 9"	20 per carton
Quick-Applied Curb Flashing (Black/White)	✓	✓	✓	✓	20" x 50", with 5" tape	1 roll per carton
Fully Quick Applied Curb Flashing (Black)	✓	✓	✓	✓	20" x 50'	1 roll per carton
Quick-Applied T-Joint Covers (Black)	✓	✓	✓	✓	6" and 12"	20 per carton
Pipe Supports	✓	✓	✓	✓	Mini: ½" - 1½", Small: ¾" - 2", Large: 2½" - 5"	Mini & small - 20 per carton Large - 10 per carton



Quick Reference Guide

EPDM Systems	BALLASTED	FULLY ADHERED	MECHANICALLY ATTACHED REINFORCED	MECHANICALLY ATTACHED NON-REINFORCED	COVERAGE RATE OR AVAILABLE SIZES	PACKAGING
ACCESSORIES						
Quick-Applied Molded Walkway Pads (Black/White)					30" x 30'	50/pallet
Interlocking Rubber Pavers (Black, TerraCotta)					24" x 24"	Single Paver
HP Protective Mat					15' x 300'	Per roll
EPDM Expansion Joint-Edge (Deck to Wall)					25 ft.	25 LF per carton
EPDM Expansion Joint-Field					25 ft.	25 LF per carton
FASTENERS AND PLATES						
HPV Fasteners (EPDM Membrane or Insulation)					1 ¼" to 15"	250-1000 per package
HPV ASAP w/2" Polymer Plate (Membrane Attachment)					2" to 12"	200-500 per package
2" Metal Membrane Plate (Flat Bottom - Membrane)					2" diameter	1000 per package
Polymer Seam Plate					2" diameter	1000 per package
2" Metal Seam Fastening Plate					2" diameter	1000 per package
3" Plastic Insulation Plate					2 7/8" diameter	1000 per package
MP 14-10 (Structural Concrete)					1 ¼" to 14"	250-1000 per package
Insultite Insulation Fasteners (Insulation)					1 5/8" to 8"	1000 per package
Insultite ASAP Insulation Fasteners					2 ¼" to 8"	250 per package
3" Steel Insulation Plate					3" in diameter	1000 per package
GypTec Fastener (Gypsum, Cementitious, Wood Fiber)					2 ½" to 10"	250-500 per package
GypTec Plate (Gypsum, Cementitious, Wood Fiber)					2" - membrane 3" - insulation	1000 per package
Accutrack Fastener/Plate Kit (Insulation)					1 5/8" to 6"	1000 per package
Purlin Fastener (Membrane Attachment, Metal Retrofit Systems)					3" to 7 ¼"	500 per package
CD-10 (Concrete)					2" to 12"	250-500 per package
Lite Deck Fastener (Insulation Attachment)					2 5/8" to 12"	125-500 per package
Metal Fastening Bar 6" O.C.					1" x 10' Bar	50 pieces
Polymer Fastening Strip 3" O.C.					1" x 250' Coil	250 lf
1 ¼" Term Bar Nail In					1 ¼"	1000 per package
Termination Bar (Aluminum)					1" wide x .050 thick x 10' long	500 LF



Quick Reference Guide

VersiWeld TPO Systems	MECHANICALLY ATTACHED	FULLY ADHERED	VERSIFLEECE	VERSIFLEECE AC	COVERAGE RATE OR AVAILABLE SIZES	PACKAGING
TPO Membranes						
VersiWeld 45-, 60- & 80-mil						4' to 12' x 100' roll
TPO Adhesives and Sealants						
VersiWeld Bonding Adhesive					60 sq. ft. per gallon	5 gallon pail
Aqua Base 120 Bonding Adhesive					100-120 sq. ft. per gallon	5 gallon pail
DASH/FAST Adhesive					See PDS	Multiple
Low-VOC Bonding Adhesive					60 sq. ft. per gallon	5 gallon pail
Weathered Membrane Cleaner					400 sq. ft. per gallon	1 gallon or 5 gallon pail
Cold Applied Adhesive					50-67 sq. ft. per gallon	5 gallon pail
White One-Part Sealant					122 cubic inches per ½ gallon	(4) ½ gallon pouches/bucket
TPO Primer (Standard and Low-VOC)					200 to 250 sq. ft. per gallon	(6) 1 gallon cans/carton
TPO Clear Cut Edge Sealant					225 linear ft. per bottle	6 bottles per carton
Universal Single-Ply Sealant					25 ft. per tube (½" bead)	24 tubes, 10.1 fl. oz. each
TPO Flashings						
TPO Molded Pipe Seals					¾" to 8"	8 per carton
TPO PS Coverstrip 6" x 100'					6" x 100'	2 rolls per carton
TPO Non-Reinforced Flashing					12" x 50' and 24" x 50'	1 per carton
TPO Split Pipe Seals					1" to 6"	8 per box
TPO Square Tubing Wraps					3", 4", 5", 6"	8 per box
TPO Inside/Outside Corner						12 per bag
TPO Inside Corners						12 per bag
TPO Outside Corners						12 per bag
TPO Curb Wrap Corners					7", 13", 19"	12 per box
TPO Molded Sealant Pockets					7.5" to 11" x 6" oval	5 per carton
TPO Sealant Pocket Extensions					14" overall length; 10" installed length	10 per carton
6" TPO PS RUSS					6" x 100'	2 rolls
10" TPO PS RUSS					10" x 100'	1 roll
TPO T-Joint Covers					4 ½" diameter	100 per box
Accessories						
TPO Walkway Rolls (White, Gray & Tan)					34" x 50' roll	Per roll
TPO Coated Metal 4' x 10'					4' x 10'	10 or 25 per skid



Quick Reference Guide

VersiWeld TPO or VersiFlex PVC Systems	MECHANICALLY ATTACHED	FULLY ADHERED	VERSIFLEECE	VERSIFLEECE AC	COVERAGE RATE OR AVAILABLE SIZES	PACKAGING
TPO or PVC Fasteners						
Insultite Insulation Fasteners					1 5/8" to 8"	1000 per package
3" Steel Insulation Plate					3" in diameter	1000 per package
HPV Fasteners (Insulation)					1 1/4" to 15"	250-1000 per package
HPVX Fasteners (Membrane)					2" to 22"	250-1000 per package
HPVX ASAP Fasteners (Membrane)					2" to 16"	150-250 per package
HPVX Plates					2 3/8"	1000 per package
HPV-XL Fasteners (Steel Deck Only)					2" to 12"	250-500 per bucket
TPO RhinoBond Plates					3" diameter	500 per package
PVC RhinoBond Plates					3" diameter	500 per package
Miscellaneous Accessories						
Termination Bar (Aluminum)					1" wide x .050 thick x 10' long	500 LF
1 1/4" Term Bar Nail In					1 1/4"	1000 per package

VersiFlex PVC Systems	MECHANICALLY ATTACHED	FULLY ADHERED	VERSIFLEECE	COVERAGE RATE OR AVAILABLE SIZES	PACKAGING
PVC Membranes					
VersiFlex 50, 60 & 80-mil			 60- and 80-mil only		See TDB
VersiFlex-E KEE HP 50, 60 & 80-mil					See TDB
PVC Flashings					
PVC Flashing				12", 24" x 50'	1 per carton
PVC T-Joint Covers				4 1/2" diameter	100 per box
PVC Inside Corners					12 per bag
PVC Outside Corners					12 per bag
PVC Molded Sealant Pockets				7 1/2" x 6"	5 per carton
PVC Molded Pipe Seals				3/4" to 8" diameter pipe	8 per box
PVC Split Pipe Seals				1" to 6" diameter pipe	8 per box
PVC Square Tubing Wraps				3", 4", 6"	8 per box
PVC Adhesives and Sealants					
Low-VOC PVC Bonding Adhesive				60 sq. ft. per gallon	5 gallon pail
HydroBond Bonding Adhesive				100-200 sq. ft. per gallon	5 gallon pail
DASH/FAST Adhesive				See TDB	See TDB
White One-Part Sealant				122 cubic inches per 1/2 gallon	(4) 1/2 gallon pouches/ bucket
PVC Cut-Edge Sealant				225' to 275' (1/8" bead)	(12) 16 oz. bottles/carton
PVC Membrane Cleaner				400 sq. ft. per gallon	5 gallon pail
PVC Coated Metal & Walkway					
White PVC Coated Metal				4' x 10" sheet	10 sheet/pallet
PVC Walkway Rolls (Gray)				36" x 60' (91.4 cm x 18.3 m)	Per roll
PVC Preformed Flashings					
PVC Molded Pipe Flashings (White)				1" to 6"	8 per carton
PVC Split Pipe Seals (White)				1" to 6"	8 per carton
PVC Split Square Tubing Wraps (White)				3" to 6"	8 per carton
PVC Fasteners - See Above					



A SINGLE SOURCE FOR SINGLE-PLY ROOFING

Versico, PO Box 1289, Carlisle, PA 17013
Tel: **800.992.7663** Fax: 717.960.4036 Web: **www.versico.com**

©2016 Versico. Printed in U.S.A.
REPRINT REQUEST CODE: 602352 – "Product Reference Guide" – 09.15.16

Disclaimer: All product information in this guide is subject to change without notice. While Versico makes every effort to provide the most accurate, up-to-date information, occasionally, one or more items in our guide may be mislabeled. Versico, VersiGard, VersiWeld, VersiFlex, VersiFleece, DASH and the Versico logo are trademarks of Versico. ENERGY STAR is a registered trademark of the US government. LEED is a registered trademark of the U.S. Green Building Council.